

سوبركائين مرهم

التركيب:

كل 100 غ من المرهم تحتوي على 1 غ من ديبوكائين (سينكوكائين).

آلية التأثير والتأثيرات الدوائية:

يحتوي مرهم سوبركائين على مادة ديبوكائين التي تمنع النبضات العصبية من الأعصاب الحسية، فهي ذات خواص مخدرة موضعية ومضادة للحكة. يمتاز بسرعة بدء تأثيره المخدر والمسكن وبطول مدة هذا التأثير.

الاستطبابات:

للتخلص الفوري المؤقت من الألم، الحكة والحرقة التي تسببها البواسير أو الاضطرابات الشرجية المستقيمىة الأخرى. كما يستخدم أيضاً موضعياً للتخلص المؤقت من الألم والحكة المترافقين مع حروق الشمس، الحروق الصغيرة، الجروح، التشققات (الخدوش)، لسع الحشرات، أو التخريشات الجلدية الخفيفة.

مضادات الاستطباب:

لا يستعمل هذا المرهم عند التحسس لأحد مكوناته.

التأثيرات الجانبية:

في حالات نادرة يمكن أن تظهر تفاعلات أرجية.

التحذيرات:

1. لا يستعمل في أو قرب العينين.
2. مثل أي دواء آخر، في حال الحمل والإرضاع يجب استشارة الطبيب قبل استعمال الدواء.
3. لا يستعمل للرضع الأصغر من سنتين.

طريقة الاستعمال:

البالغين: تنظف المنطقة المصابة وتشطف بشكل كامل، وتجفف بلطف، ثم يطبق المرهم على المنطقة المصابة حتى 3 أو 4 مرات يومياً.

الأطفال من 2-12 سنة: لا يستعمل إلا تحت إشراف الطبيب.

العبوة:

مرهم سوبركائين متوفر في أنابيب سعة 20 و 40 غ.

SUPERCAINE ointment

Composition:

Each 100 gram contains: Dibucaine (Cinchocaine) 1 gram.

Mechanism of action and pharmacological properties:

SUPERCAINE Ointment contains the active ingredient Dibucaine that inhibits nerve impulses from sensory nerves. Therefore, it possesses local anesthetic and antipruritic properties.

SUPERCAINE ointment is distinguished with its prompt and efficient long acting anesthetic effect.

Indications:

For prompt, temporary relief of pain, itching and burning due to hemorrhoids or other anorectal disorders. May also be used topically for temporary relief of pain and itching associated with sunburn, minor burns, cuts, scrapes, insect bites, or minor skin irritation.

Contraindications:

Hypersensitivity to any of the components.

Side effects:

In rare cases, it may develop allergic reactions.

Warnings:

1. Do not use in or near the eyes.
2. As with any drug, if you are pregnant or nursing a baby, seek the advice of a physician before using this product.
3. Do not use on infants under 2 years of age.

Directions:

Adults: Cleanse the affected area and rinse thoroughly, gently dry, apply to the affected area up to 3 or 4 times daily.

Children 2-12: Do not use except under the advice of a physician.

How supplied:

SUPERCAINE Ointment is available in tubes of 20 and 40 gram.